

DECLARATION OF PERFORMANCE

No. UKSI-00520-005

1. Unique identification code of the product-type:
Gypsum Plasterboard Types D, F
2. Type, batch or serial number or any other element allowing identification of the construction product in accordance with Article 11 (4):
GTEC Fire Board
3. Intended use:
General building construction
4. Trade name and contact address of the manufacturer in accordance with Article 11 (5):
Siniat, Marsh Lane, Easton-in-Gordano, Bristol, BS20 0NF, UK
5. Not applicable.
6. System or systems of assessment and verification of constancy of performance:
System 4
7. Not applicable.
8. Not applicable.
9. Declared performance:

Essential characteristics	Performance		Harmonised Technical Specification
Flexural strength 12.5mm 15mm	Transverse direction: ≥210N ≥ 250N	Longitudinal direction: ≥550N ≥650N	EN 520:2004+A1:2009
Shear Strength	NPD		
Reaction to fire	Euroclass A2-s1,d0		EN 520:2004+A1:2009
Airborne Sound Insulation	see literature		
Acoustic Absorption	see literature		
Water vapour permeability (μ)	10		EN 12524:2000
Thermal resistance	0.25 W/m.K		EN 12524:2000
Impact Resistance	see literature		

10. The performance of the product referred to in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration is issued under the sole responsibility of the manufacturer specified in point 4.

Signed for and on behalf of Siniat Limited by



Jean-Michel Desmoutier, Managing Director
01/07/2013