

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5


## SEALACRYL CLP

Revision 0  
Revision date 2015-02-10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1. Product identifier</b>	
<b>Product name</b>	SEALACRYL CLP
<b>1.3. Details of the supplier of the safety data sheet</b>	
<b>Company</b>	SEAL IT SERVICES LTD
<b>Address</b>	T/A BOND IT Unit G16 Riverbank Way, Lowfields Business Park, Elland, West Yorkshire HX5 9DN
<b>Web</b>	www.bond-it.co.uk
<b>Telephone</b>	01422 315300
<b>Fax</b>	01422 315310
<b>Email</b>	sales@bond-it.co.uk
<b>1.4. Emergency telephone number</b>	
<b>Emergency telephone number</b>	01422 315300 8.30AM - 5.30PM Mon-Fri

### SECTION 2: Hazards identification

<b>2.1. Classification of the substance or mixture</b>	
<b>2.1.1. Classification - 67/548/EEC</b>	Xn; R65 Xi; R36 R10-52/53 Symbols: Xn: Harmful.
<b>Main hazards</b>	Flammable. Irritating to eyes. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.
<b>2.1.2. Classification - EC 1272/2008</b>	Asp. Tox. 1: H304; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
<b>2.2. Label elements</b>	
<b>Hazard pictograms</b>	
<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
<b>Precautionary Statement: Prevention</b>	P264 - Wash thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## SEALACRYL CLP

Revision 0

Revision date 2015-02-10

## 2.2. Label elements

Precautionary Statement: Storage	P331 - Do NOT induce vomiting. P337+P313 - If eye irritation persists: Get medical advice/attention.
	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Synocryl 595 PMA 60					40 - 50%	Xi; R36 R10
Dolititan 16 / H200					20 - 30%	
White Spirit			919-446-0		1 - 10%	Xn; R65 N; R51/53 R10-66-67

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Synocryl 595 PMA 60					40 - 50%	
Dolititan 16 / H200					20 - 30%	
White Spirit			919-446-0		1 - 10%	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause dermatitis. May cause irritation to skin.
Ingestion	Harmful if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

## SEALACRYL CLP

Revision 0

Revision date 2015-02-10

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

**6.2. Environmental precautions**

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

**6.3. Methods and material for containment and cleaning up**

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.1.1. Exposure Limit Values**

Dolititan 16 / H200	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 4
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:

**8.2. Exposure controls**

<b>8.2.1. Appropriate engineering controls</b>	Ensure adequate ventilation of the working area.
--	--

<b>8.2.2. Individual protection measures</b>	Wear chemical protective clothing.
--	------------------------------------

<b>Eye / face protection</b>	Approved safety goggles.
------------------------------	--------------------------

<b>Skin protection - Handprotection</b>	Chemical resistant gloves (PVC).
---	----------------------------------

<b>Respiratory protection</b>	Self-contained breathing apparatus. Wear protective clothing.
-------------------------------	---

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

## SEALACRYL CLP

Revision 0

Revision date 2015-02-10

## 9.1. Information on basic physical and chemical properties

<b>State</b>	Liquid
<b>Colour</b>	Grey
<b>Odour</b>	Characteristic
<b>pH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Boiling point</b>	145 - 181 °C
<b>Flash point</b>	41 °C
<b>Evaporation rate</b>	No data available
<b>Flammability limits</b>	No data available
<b>Vapour Flammability</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Fat Solubility</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive</b>	No data available
<b>Oxidising</b>	No data available
<b>Solubility</b>	No data available

## 9.2. Other information

<b>Conductivity</b>	No data available
<b>Gas group</b>	No data available
<b>Surface tension</b>	No data available

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

Dolittitan 16 / H200	Oral Rat LD50: 5000
----------------------	---------------------

## SECTION 12: Ecological information

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## 14.1. UN number

## SEALACRYL CLP

Revision 0

Revision date 2015-02-10

<b>14.1. UN number</b>	
	UN1263
<b>14.2. UN proper shipping name</b>	
	PAINT
<b>14.3. Transport hazard class(es)</b>	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
<b>14.4. Packing group</b>	
Packing group	III
<b>14.5. Environmental hazards</b>	
Environmental hazards	No
Marine pollutant	No
<b>ADR/RID</b>	
Hazard ID	30
Tunnel Category	(D/E)
<b>IMDG</b>	
EmS Code	F-E S-E
<b>IATA</b>	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

**SECTION 15: Regulatory information****SECTION 16: Other information****Other information**

<b>Text of risk phrases in Section 3</b>	R10 - Flammable R36 - Irritating to eyes. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
--	--

**Further information**

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--